

E. E. AUSTIN & SON, INC.
Contractors & Construction Managers • Since 1906
4 CARTER STREET
FALCONER, NY 14733-1406

(716) 665-3316
FA X (716) 665-5382
www.eeaustin.com

February 14, 2014

ddamcott@eeaustin.com

Mr. Chris Coughlin
HRLC Architects
4380 West 12th St
Erie, PA 16505

RE: Eisenhower Elementary Addition
EEA Proposal #14 – Elementary Kitchen

Dear Mr. Coughlin:

E. E. Austin & Son proposes a lump sum price of \$36,775.00 for work required to provide the proposed Elementary Kitchen. This proposal is based upon on the Owner's and Architect's request. Our scope of work is as follows:

- Furnish and install all metal studs, gypsum board walls and ceilings, roof joists, and roof sheathing
- Furnish and install structural steel for grille opening consisting of two HSS columns, one W8x24 beam, base plates, and cap plates
- Furnish and install 7/8" corrugated Flexopan metal roofing, eave trim, and gable trim – see attached spec sheets (alternate to specified Pac-Clad metal panels)
- Furnish and install two hollow metal doors and frames with hinges, locksets, and protection plates – see attached spec sheets
- Furnish and install one Dynamic Closures Model Paravent Aluminum Side Folding Grille, powder coat finish, hardware, track, cylinder lock, and posts – see attached spec sheets (alternate to specified Cookson Co. Grille) – optional deduct of \$2,640 for anodized aluminum grille, hardware, and track
- Taping, finishing, and painting of new walls and ceilings
- Furnish and install new safety padding at 6'-0" high to match new padding in adjacent room – pads to match color and size of new padding in Multi-Purpose Room 301

Thank you for the opportunity to be of service. I have attached our estimate summary and received quotations for your review. If you have any questions, please contact me.

Sincerely,
E. E. Austin & Son Inc.

Dustin M. Damcott
Project Manager

EST.BY DMD

JOB: EISENHOWER ELEMENTARY ADDITION
EEA #14 - ELEMENTARY KITCHEN

TOTAL BID

36.775

EST. NO. 1

BOND

306

SUBTOTAL

PROFIT 5.00%

1.658

OH 5.00%

1.658

TOTAL COST

33.153

8,612

10,503

8.612

10.503

14.039

0

—

8,612

10,503

14,039

[illegible]

2420 West 15th Street, Erie, Pa 16505
Ph: (814) 459-2715 Fax : (814) 452-3141

REQUEST FOR CHANGE ORDER

Project Name:	Eisenhower Elementary	RCO#	006
DHS Job No.:	13015	Date:	5/9/14
Customer:	EE Austin		
	Attn: Dustin Damcott		

Description of Change:	Support steel for grille door in new kitchen area
-------------------------------	---

Per the GC's request, DHSteel is to furnish and install support steel (two HSS columns and one beam) to frame the grille door opening in the new kitchen area of Eisenhower Elementary (Rm. 302). Material to be furnished and installed is listed below:

- (1) W8x24 beam;
- (2) HSS 4x4x1/4 columns with base plates and epoxy anchors (5-1/2" minimum embedment);
- (2) base plates 1/2"x0-8"
- (2) cap plates 1/4"x0-4"

All material will be prime painted red.

Costs incurred include additional detailing/engineering, material, fabrication, one delivery, installation and equipment time.

Reference Drawings/Design: A106 and an email from EEA dated 5/4/14

Recap of Order

Furnish & deliver kitchen support steel	\$ 2,198.00
Installation of kitchen support steel	\$ 1,577.00

TOTAL RCO #	006	\$	3,775.00
--------------------	-----	----	----------

Offered By: Melissa A. Melle
Melissa A. Melle
DHSteel Products, LLC

Accepted by: _____
Authorized personnel



BOX 515 RAILROAD STREET
SANDY LAKE, PENNSYLVANIA 16145-0515
PHONE: 800-245-0396 • FAX: 724-376-3864



PROJECT
OR
BUILDING
Name

QUOTATION

pdola@blwincosale.com

TO: B & L WHOLESALE 70 HARTFORD ST ROCHESTER, NY 14605 PHIL ph : 716-484-0158				SHIP TO: 2887 STRUNK ROAD JAMESTOWN, NY 14701							
QUOTATION NUMBER 05082014 7NL		DATE QUOTED 5/8/2014		DATE OF INQUIRY 5/8/2014		TERMS TO BE DETERMINED					
F.O.B. SANDY LAKE, PA			SHIP VIA FLEXOSPAN			SALESMAN #7NANCY LEWIS					
SHIPPED	QUANTITY & UNITS	GAGE	COLOR &/OR FINISH	PRODUCT DESCRIPTION	WEIGHT	UNIT	TOTAL				
APPROX	4.68	24	STD COLOR FLUROPON	2.67 X 7/8" CORRUGATED	585						
GROSS SQ			WASHCOAT								
	13	PCS		144.00 12' -		80.15	1041.95				
				SET UP (UNDER 20 SQUARES)			150.00				
		24	STD COLOR FLUROPON	FLASHING - 10'							
			WASHCOAT								
	4	PCS	LE2	EAVE TRIM	25	16.25	65.00				
	3	PC S	GR1	GABLE TRIM	43	32.10	96.30				
				-							
				-							
				-							
	250	PCS	STD COLOR / CARBON	12-14 X 3/4" WOODTITE W/W	6		18.95				
	250	PCS	STD COLOR / CARBON	10-16 X 2 WOODFAST W/W	6		25.30				
	250	PCS	STD COLOR / CARBON	10-16 X 1 1/2" WOODFAST W/W	6		22.70				
				-							
	1			B+L Delivery			16.50				
This quotation is based on Flexospan's standard products. It is the buyer's responsibility to make sure these products meet any specification requirements.											
All prices quoted are based upon current steel costs as of this date. Additional price increases and any surcharges instituted by the steel producers will result in price increases.											
This quotation is an estimate only. Final quantities and lengths to be provided by customer at time of order.											
REMARKS	Oil canning is not cause for rejection Our quotation is based upon the terms and conditions stated above and on the following page. Please sign to accept. Thank you for your business. Co. Name PO# _____ By: _____ Title: _____ Date: _____ Signature of Owner/Authorized Agent				TOTAL WEIGHT THIS PAGE		944	SUB-TOTAL	1436.70		
					GRAND TOTAL			FREIGHT	400.00		
					Panel lengths under 6'-0" & over 40'-0" Are subject to the following charges: 7.5% under 6'-0" to 3'-0" or over 40'-0" @\$2.00/each under 3'-0" to 1'-0" @\$3.00/each				ENGR'NG		NOT INCLUDED
									TAXES		137.75
									TOTAL		1974.45
					PARTIAL		COMPLETE				
				SHEET 1 OF 1		CONTRACT NO. QUOTE					

FLEXOSPAN



7/8" Corrugated Load Table

Span Length															
Thickness	# Spans	4'	4' 6"	5'	5' 6"	6'	6' 6"	7'	7' 6"	8'	8' 6"	9'	9' 6"	10'	
18 Ga	1	136	107	87	72	600	51	44	38	34	30	26	24	21	
STL	31	170	134	108	90	75	64	55	48	42	37	33	30	27	
20 Ga	1	103	81	66	54	45	39	33	29	25	22	20	18	16	
STL	3	129	101	82	68	57	48	42	36	32	28	25	22	20	
22 Ga	1	116	92	74	61	51	44	38	33	29	25	23	20	18	
STL	3	145	115	93	77	64	55	47	41	36	32	28	25	23	
24 Ga	1	93	74	60	49	41	35	30	26	23	20	18	16	15	
STL	3	117	92	75	62	52	44	38	33	29	25	23	20	18	
26 Ga	1	70	55	45	37	31	26	23	20	17	15	13	12	-	
STL	3	88	69	56	46	39	33	28	25	22	19	17	15	14	
0.040	1	65	51	41	34	28	24	21	18	16	14	12	-	-	
Aluminum	3	81	64	52	43	36	30	26	23	20	18	16	14	13	
0.032	1	52	41	33	27	23	19	17	14	13	-	-	-	-	
Aluminum	3	65	51	41	34	29	24	21	18	16	14	12	-	-	

Stress governing, 37 ksi yield for 18, 20 Ga; 50 ksi for 22, 24 and 26 Ga

CORRUGATED


2.67"x 7/8"

By increasing the corrugation depth to 7/8" much greater spans are possible. This results in a savings on structural steel cost. When used as a roofing sheet, the 7/8" deep corrugation is capable of carrying off greater volumes of water than the 1/2" corrugated.

2.67" x 7/8" CORR. STANDARD TRIM SKETCHES

GA. # _____ COLOR _____



6 1/4"



REQ'D: **4** PCS. @ 10'-0" LG.

"LE2" EAVE TRIM

GA. # _____ COLOR _____




REQ'D: _____ PCS. @ 10'-0" LG.

"GU1" GUTTER

GA. # _____ COLOR _____


1 3/4"



REQ'D: _____ PCS. @ 1'-0" LG.

"GB1" GUTTER BARS

GA. # _____ COLOR _____



"GU1ECR" - AS SHOWN "GU1ECL" OPP. HAND
REQ'D: _____ (RIGHT) REQ'D: _____ (LEFT)

"GU1EC(R&L)" END CAPS

NOTES:

1. ALL TRIM IS MANUFACTURED IN 10'-0" LENGTHS UNLESS SPECIFIED OTHERWISE.
2. MAXIMUM LENGTH OF TRIM IS 10'-0".
3. PLEASE INSERT GAUGE OF MATERIAL IN SPACES PROVIDED.
4. PLEASE INSERT COLOR OF MATERIAL IN SPACES PROVIDED.
5. PLEASE INSERT QUANTITY DESIRED WHERE SHOWN.
6. PLEASE INSERT REQ'D DIMENSIONS.



BOX 515 RAILROAD STREET
SANDY LAKE, PENNSYLVANIA 16145-0515
PHONE: 800-245-0396 • FAX: 724-376-3864

2.67" x 7/8" CORRUGATED
STANDARD DETAILS

DRAWN BY: Rw CANON

DATE: 3/1/00

REVISED BY: K. Kemmer

DATE: 5-30-00


2.67" x 7/8" CORRUGATED
STANDARD TRIM SKETCHES

DRAWING NO.

2.67"x7/8"-13

2.67" x 7/8" CORR. STANDARD TRIM SKETCHES


GA.	#	COLOR
15 1/2"		



REQ'D: _____ PCS. @ 10'-0" LG.

"DS1" DOWNSPOUTS


GA.	#	COLOR
14 5/8"		



REQ'D: **3** PCS. @ 10'-0" LG.

"GR1" GABLE TRIM


GA.	#	COLOR
14 5/8"		



REQ'D: _____ PCS. @ 10'-0" LG.

"RC1" RIDGE CAP

GA.	#	COLOR



REQ'D: _____ PCS. @ 10'-0" LG.

"WR1" BASE ROOF

NOTES:

1. ALL TRIM IS MANUFACTURED IN 10'-0" LENGTHS UNLESS SPECIFIED OTHERWISE.
2. MAXIMUM LENGTH OF TRIM IS 10'-0".
3. PLEASE INSERT GAUGE OF MATERIAL IN SPACES PROVIDED.
4. PLEASE INSERT COLOR OF MATERIAL IN SPACES PROVIDED.
5. PLEASE INSERT QUANTITY DESIRED WHERE SHOWN.
6. PLEASE INSERT REQ'D DIMENSIONS.



BOX 515 RAILROAD STREET
SANDY LAKE, PENNSYLVANIA 16145-0515
PHONE: 800-245-0396 • FAX: 724-376-3864

2.67" x 7/8" CORRUGATED STANDARD DETAILS

DRAWN BY: Bw CANON

DATE: 3/17/00

REVISED BY: K. Kemmer

DATE: 5-30-00

2.67" x 7/8" CORRUGATED STANDARD TRIM SKETCHES

DRAWING NO.

2.67"x7/8"-14

DISTRIBUTOR OF DOORS, FRAMES, HARDWARE & SPECIALTY PRODUCTS



ARCHITECTURAL CONSULTING SERVICES



BUILDERS' HARDWARE
THE DOOR COMPANY

ERIE, PA OFFICE
2002 West 16th Street
Erie, PA 16505
Phone: 814-455-4799 Ext. 251
Fax: 814-454-0275
www-builders-hardware.net

CHANGE ORDER Date 5/6/14

TO: E.E. Austin
Attn: Dustin Damcott

CHANGE ORDER #: 7
PROJECT: Eisenhower Elementary
PROJECT CODE: 300541
JOB #: _____
PURCHASE ORDER #: _____

DESCRIPTION OF CHANGE THE FOLLOWING PRICE CHANGE IS SUBMITTED FOR APPROVAL

Add two openings 302-B and 302-C in the kitchen area: new frames, wood door, hinges, lockset and kickplate.

PRICE INCREASE \$ 2,174.00 + TAX

PRICE REDUCTION \$ + TAX

NOTE: SALES TAX IS NOT INCLUDED

☐ SHIP FROM STOCK
☐ ORDER FROM VENDOR

☐ ADD TO JOB
☐ SALES ORDER #

\$ 2,305 w/TAX

**PLEASE SIGN AND FAX THIS CHANGE ORDER TO BUILDERS HARDWARE.
ORDER WILL NOT BE PROCESSED UNTIL THIS DOCUMENT IS SIGNED AND RECEIVED.**

AUTHORIZED BY: _____

DATE: _____

BUILDERS' HARDWARE PROJECT MANAGER: _____

BUILDERS' HARDWARE TEAM LEADER: _____

Project: 300541 - Eisenhower Elementary School Addition
Contemplated Change Order # 7
Added kitchen openings

1	Single Door #302-B	UNKNOWN from KITCHEN 302	90 RHR
---	--------------------	--------------------------	--------

3072 WD 1 3/4 SGL PSWM PFST 5 PLY MATCH/EDGE F PC RHR (HG3; MORT; Inst-HINGES;
Inst-KICK; Inst-ML)

1 SGL F 16 4 814 3072 CRS KD LH (ASA; UB; ABA; Q123; SSWS; SUA)

3	Hinges	FBB179 4 1/2 X 4 1/2 NRP		US26D	ST
1	Lockset	45H-7R14H L/C	RHR	626	BE
1	Protection Plate	K1050 10" x 34" 4BE		US32D	RO

1	Single Door #302-C	CORRIDOR 121 from KITCHEN 302	90 RHR
---	--------------------	-------------------------------	--------

1 3072 WD 1 3/4 SGL PSWM PFST 5 PLY MATCH/EDGE F PC RHR (HG3; MORT; Inst-HINGES;
Inst-KICK; Inst-ML)

1 SGL F 164 814 3072 CRS KD LH (ASA; UB; ABA; Q123; SSWS; SUA)

3	Hinges	FBB179 4 1/2 X 4 1/2 NRP		US26D	ST
1	Lockset	45H-7R14H L/C	RHR	626	BE
1	Protection Plate	K1050 10" x 34" 4BE		US32D	RO

Section Totals

Finish Hardware

Hollow Metal

Wood Doors

Pre-Tax Total	2,174.00
----------------------	-----------------

Taxes

PA010 - PA STATE

130.44

Tax Total	130.44
------------------	---------------

Grand Total	2,304.44
--------------------	-----------------

THE OVERHEAD DOOR CO. OF JAMESTOWN

MAIN OFFICE
1884 MASON INDUSTRIAL PARK
JAMESTOWN,N.Y.14701
TOLL-FREE:1-800-643-3667
FAX: (716)-665-6862

PENNSYLVANIA AND ERIE AREA
DIAL TOLL FREE 1-800-643-DOOR
EMERGENCY SERVICE, OPEN 7 AM
E-MAIL:overheaddoorstan@netsync.net
WEB:www.overheaddoorofjamestown.com

The Genuine. The Original.



Proposal #: 1-7672

PROPOSAL SUBMITTED TO: E.E. AUSTIN & SONS, INC.			Date 5/8/2014	Attention DUSTIN
STREET 4 CARTER STREET			Job Name FURNISH AND INSTALL SIDE FOLDING GRILLE	
City FALCONER	State NY	ZipCode 14733-1406	Job Location EISENHOWER ELEMENTARY SCHOOL KITCHEN	
Phone Number 716-665-3316		Fax Number 716-665-5382	Job Phone	

FURNISH AND INSTALL:

THE BELOW QUOTED SIDE FOLDING GRILLES ARE NOT EQUAL TO COOKSON GUARDIAN AS THAT PRODUCT IS UNIQUE TO COOKSON MANUFACTURING ONLY.

GRILES QUOTED WILL HAVE THE SAME FUNCTIONALITY AS SPECIFIED PRODUCT WITH HIGH QUALITY CONSTRUCTION / WORKMANSHIP.

1 - 22' 2" X 9' 4" DYNAMIC CLOSURES MODEL PARAVENT ALUMINUM SIDE FOLDING GRILLE, INCLUDES POWDER COATING OF GRILLE, HARDWARE AND TRACK, CYLINDER LOCK ON LEAD POST, 2 INTERMEDIATE POSTS WITH CYLINDER LOCKS, CEILING HUNG WITH HEAVY DUTY NYLON CASTERS.-----\$10,399.00**

**DEDUCT \$ 2640.00 FOR ANODIZED ALUMINUM GRILLE, HARDWARE AND TRACK.

GRILLE QUOTED REQUIRES A 46" STACKING POCKET

TAX INCLUDED

DELIVERY 4-5 WEEKS

We hereby propose to complete in accordance with above specification, for the sum of:

Signature

STAN MARTINELLI : COMMERCIAL AND
INDUSTRIAL SALES

Direct Dial: 1-800-643-3667

TERMS AND CONDITIONS

Payment to be made as follows: 2% 10 NET 30 DAYS

Prices subject to change if not accepted in 30 days.

BY OTHERS: Jams, spring pads, all wiring to motors and control stations, unless otherwise stated above, are not included. Purchaser agrees that doors shall remain in Seller's possession until paid in full. In the event Purchaser breaches or defaults under the terms and provisions of this Agreement, the Purchaser shall be responsible for the costs of collection, including reasonable attorneys' fees. The Seller shall be entitled to full and final payment on the Purchase Order. There shall be a 1 1/2% service charge per month for all payments due and owing after 30 days. (Agreements are contingent upon strikes, accidents, or delays beyond our control.)

ACCEPTANCE: Terms, Price, and specifications on all pages of this proposal are hereby accepted and the work authorized.

Purchaser: _____

Signature

Title


Date of Acceptance

Dynamic Side Folding is an Easy Choice

Side Folding can be 10 feet or 110 feet long. Layouts vary from straight to attractive special curves to compliment the surrounding architecture.



S126 S
Rod Link
Standard




S126 B
Rod Link
Standard



SL154
Rod Link
Slim Line



SWB S
Rod Link
Wide Body




SWB B
Rod Link
Wide Body



Futura
Tempered Glass
Standard




Futura WB
Tempered Glass
Wide Body




Prestige
Polycarbonate
Standard




Prestige WB
Polycarbonate
Wide Body




SL Perf
Perforated
Slim Line




Paravent
Perforated
Standard



Paravent WB
Perforated
Wide Body



SL Solid
Solid
Slim Line



Opaque
Solid
Standard



Opaque WB
Solid
Wide Body



DYNAMIC
www.DynamicClosures.com

PHONE: 1-800-663-4599 FAX: 1-800-205-6665

POSTS



Need Help? Call the factory at
1 800 663-4599

Go online to view videos,
 CAD drawings and full specs.

www.DynamicClosures.com

1 **Wall Channel**

A floor-to-track extruded aluminum channel that the hookbolt fits and locks into. This channel is secured permanently to the wall.

2 **HookBolt Lead**

One of the options for the leading edge of the door. This Post has a hookbolt lock that secures it to the Wall Channel. Optional **Double Hookbolt** or **Top Locking** available.

3 **Bipart**

A pair of posts that lock together with a hookbolt, with an added lock rod to keep curtain in place. It is used to separate larger doors into manageable sections, or to split the door to stack in two different directions. The concealed lock rod engages into a floor or counter socket. Doors should have at least one Bipart Post for every 30' (9144 mm) of width. Optional **Top Locking** available.

5 **Intermediate Post**

A middle post in a door located between door sections, containing a spring-loaded lock rod that engages a floor

or counter socket to keep the door in place, which is unlocked with a keyed cylinder or thumbturn. As well as being located at intervals (no more than 10' (3048 mm)) along straight sections of door, Intermediate Posts should be placed closer together on sweeping curves, and on or near the center of standard curves.

7 **Top and Bottom Locking Post**


One of the options for the ends of a door. Spring-loaded lock rods engage a Floor or Counter Socket and the track support, and are unlocked with a keyed cylinder, thumbturn, or paddle (June 2014). Optional leading edge treatments include rubber bumper, flange, or blank face.

9 **Traveling End Post**

The Trailing Post terminates a door inside of a pocket (storage area). It is free to travel back and forth inside of the pocket. The post self-locks into the permanent header and floor stops, preventing the door end from leaving the pocket. A rear flange helps fill the opening to the side of the post to prevent reach through.

10 **Fixed End Post**

Fixes the end of a door permanently to a wall or structure.




- A** Hook Bolt
- B** Keyed Cylinder Lock
- C** Lead Locking Post
- D** Full Height Wall Channel
- E** Track
- F** Trolleys
- G** Intermediate Post
- H** Top and Bottom Locking Post
- I** Shoot Bolt Knob
- J** Drop Bolt Knob
- K** Header Stop
- L** Standard Non Adjustable Hanger
Top of Curtain to Bottom of Track..... 1 1/2 in.
- M** Minimum Clear Pocket Width
Slim Line..... 5 in.
Standard..... 8 in.
Wide Body..... 13 in.
- N** Bottom of Curtain to:
FFL..... 1 1/4 in.
Counter 3/4 in.
- O** Drop Bolt
- P** Drop Bolt Socket


CURVE DETAILS

Outstanding layout designs and thoughtful details are easily achieved with four stock curves.


10 in./14 in./22 in. Radius




10 in. Radius



10 in. Radius



10 in. Radius



Radius	Curve	Curve Length
10 in.	90°	16 in.
	120°	10-1/2 in.
	135°	7-15/16 in.
	150°	5-1/4 in.
14 in.	90°	22 in.
22 in.	90°	34- 1/2 in.


LOAD REQUIREMENTS

The entire header-support must handle the stacked weight.


Model	Stacked LBS./SQ.FT.	Extended LBS./SQ.FT.
SL154 (Slim Line)	6.5	0.75
S126 (Standard)	8.0	1.30
SL Perf (Slim Line)	9.0	1.10
SL Solid (Slim Line)	10.0	1.30
SWB (Wide Body)	13.0	1.50
Paravent (Standard)	15.0	2.50
Prestige ((Standard)	15.0	2.50
Futura (Standard)	18.0	3.00
Opaque (Standard)	18.0	3.00
Paravent WB (Wide Body)	22.5	2.50
Prestige WB (Wide Body)	22.5	2.50
Futura WB (Wide Body)	27.0	3.00
Opaque WB (Wide Body)	27.0	3.00

SPECIAL CURVES

We can custom bend our track to match any curved opening. Custom curves in days not weeks. Call for details.




DROPBOLT SOCKETS



FINISHES

Choice of quality anodized finish on all exposed aluminum parts.




RAL Powder Coat available.

Acrylic paint available.

NOTE: Colors may not be exactly as illustrated. Cut and sheared edges will be bare aluminum.

TRACK



STACKING DIMENSIONS

Calculating your stack width is easy. Choose a model, Slim Line, Standard or Wide Body. Use the following formulas substituting your Curtain Width and number of Posts to estimate Stack.

Slim Line and Standard Curtain Formula

(Width (in.) 10) + (Number of Posts x 3) = Estimated Stack

Example

288in. Curtain containing 4 posts

(288 ÷ 10 = 29in.) + (4 x 3 = 12in.)

29in. + 12in. = 41 in. estimated required stack

Wide Body Curtain Formula

(Width (in.) ÷ 16) + (Number of Posts x 3) = Estimated Stack

Example

288in. Curtain containing 4 posts

(288 ÷ 16 = 18in.) + (4 x 3 = 12in.)

18in. + 12in. = 30 in. estimated required stack






LAYOUTS


Bi-Part / Pocket Both Sides

A straightforward layout that uses two pocket areas to hide the stack once the curtain has been opened.




Single Stack Into Pocket

A straightforward layout that uses a simple pocket area to hide the stack once the curtain has been opened.



Remote Stack With Caddy

An advanced system that stores the curtain in a remote area removed from the entrance.




Caddy System Detail

Lead Post (2) without trolley assembly swings and engages Wall Channel (1). Travelling Wall Channel with Trolley (1a) transports Lead Post (2) back to pocket.

Dual Track

An innovative layout for use when minimal pocket depth is available.




Stack Between Jambs

A simple, no-nonsense layout design ideal for when space is at premium and creating a pocket area is not possible.




"S" Curve (2-135° curves) with Single Stack into 90° Pocket



Special Radius Curve

An advanced layout for store and office designs that require a more rounded solution.



Pocket doors (supplied by others) should be hinged to interior for curtains with self-locking travelling end post.

Exterior - Top of the Page

Interior - Bottom of the Page

All structural supports, headers, pockets and pocket doors by others.

Swan Painting Inc
3103 North Main Street Ext
Jamestown, NY 14701
Phone: (716) 483-1200
Fax: (716) 483-3945

Fax Cover Sheet

To: DUSTINFrom: GENEDate: 5/6/2014 Pages: 1Reference: EISENHOWER KITCHEN 302Note: TAPING & PAINTING \$2900.00

C.M. EICHENLAUB CO.

P.O. BOX 8790 PITTSBURGH, PA 15221
PHONE: (412) 271-8346 FAX: (412) 824-7280

DATE: May 8, 2014

PROJECT: Warren County SD
Eisenhower MS/HS Addition of ES

TO: E.E. Austin & Sons
Mr. Dustin Damcott

DESIGN BY: Hallgren, Restifo, Loop & Coughlin

Page 1

116623-Gymnasium Equipment

Furnish and install the required additional wall safety padding within
Multi-Purpose Room 301, to accommodate the incorporation of Kitchen
302, per your e-mail of 5-7-2014 and its attached Drawing A106,

For the sum of..... \$740.00

Exclusions: Safety padding at the two (2) doors and at the side folding grille location.

Addenda 1 thru 5 and Memos 1 and 2 reviewed.

NOTE: This bid is expressly conditioned upon use of the AIA (A-401) (1997 Ed.) subcontract or other mutually agreed upon terms and conditions. Taxes are included if applicable. Prevailing wages used for installation costs. Pricing is based on receiving and installation being consecutive. If installation cannot begin at the time of delivery additional charges will accrue.

The C.M. Eichenlaub Company appreciates this opportunity to serve you. We submit this proposal to sell the material or equipment as described and priced above. Subject to all the terms and conditions stated. Terms: NET 30 DAYS. Prices are firm for 30 days. Invoices past 30 days will include 1.25% interest charges. A Purchase Order is required to process quote.

C.M. EICHENLAUB CO.

ACCEPTED BY:

BY: Ryan L. Wagner
Ryan L. Wagner

FOR: _____

DATE: _____